

Fieldpiece Instruments Statement of ATEX Exclusion for Analog Gage Set.

To Whom It May Concern,

Fieldpiece Instruments hereby states on its sole responsibility that Analog Gage Set line of products (GS3XXX and GS4XXX Series) intended for use with A2L / A3 refrigerants do not fall under the scope of the 2014/34/EU ATEX Directive. Thus, not marked as such or declared in the Declaration of Conformity. This is based on the nature of the equipment in that there are no inherent "own" ignition sources (reference ATEX 2014-34-EU Guideline Document). The equipment does not contain moving parts driven by any means other than manual drive by the user. This type of equipment is also excluded per the scope of the EN ISO IEC 80079-36 and 80079-37 standards which cover 'Non-electrical equipment for explosive atmospheres'.

Appropriate guidance toward the safe use of the equipment is given within the instruction and operation manual and covers the potential ignition risks associated with the equipment and user interaction; static charge build-up/discharge and risk of impacts potentially generating arcs/sparks.

For use and operation in Zone 2 areas, per the EN IEC 60079-0 standard Clause 8.3 for EPL Gc, there are no material restriction limits.

For use and operation in Zone 2 areas, the user is cautioned against risk of electrostatic charge/discharge

Based on the above, Analog Gage Set, do not fall within the scope of the 2014/34/EU ATEX Directive and are not marked as such.

John Cassidy

Name

John Cassidy

John Cassidy (Feb 12, 2026 12:50:32 PST)

Signature

02/12/2026

Date